
Table of Contents

Preface	xi
About the Authors	xiii

Entertaining Guests

Laboratory Etiquette	1
Laboratory Humor	2
Laboratory Quiz.	4

Measurements and Substitutions

Choice Tips from the Top Chefs	9
Everyday Test Tube Sizes Used in the Kitchen . . .	12
Test Tube Agglutination	13
Reading and Grading Test Tube Agglutination . . .	18
Exercise for Reading and Grading Test Tube Agglutination	21
Preparing Red Cell Suspensions	25
Preparing Red Cell Suspensions for Gel Testing	28
Preparing 0.85% Normal Saline	30
Preparing % Bovine Albumin Solutions	32
Preparing a Serum or Plasma Dilution from an Existing Diluted Serum or Plasma	34
Preparing "Hemolyzed" Plasma	37
Producing "Hemolyzed" Red Cells	40
Preparing "AB Plasma"	42
Preparing Plasma Causing Rouleaux	44
Preparing Cryoprecipitate-Poor Plasma	46

ABO Appetizers

<i>Forward-Grouping Problems</i>	47
Subgroup of A with Anti-A1 Using A ₂ Reagent Red Cells (A SubGrouper Filet)	47
Subgroup of A with Anti-A1 Using A ₂ Donor or Patient Red Cells	50



A ₃	52
Weak Subgroup of A to Resemble A _{e1}	55
<i>Missing Antibodies</i>	57
Missing Expected ABO Alloantibodies	57
Weak Expected ABO Alloantibodies	60
Group A RhD-Positive Recipient of Hematopoietic Stem Cell Transplant from B RhD-Positive Donor	63
<i>Extra Antibody</i>	65
ABO Discrepancy Due to a Room-Temperature- Reactive Anti-M	65
ABO Discrepancy Due to a Room-Temperature- Reactive Anti-c, -E, or -K, Using Monoclonal Reagent	68

Mixed-Field Salads

Group AB RhD-Positive Patient Receives Group A RhD-Negative RBCs	71
Group AB RhD-Positive Patient Receives Group A RhD-Positive RBCs	73
Group A RhD-Positive Patient Receives Group O RhD-Negative RBCs	75
Group O RhD-Positive Patient Receives Group O RhD-Negative RBCs	77
Group O RhD-Negative Patient Receives Group O RhD-Positive RBCs	79
Quick Mixed Field	81

Antibody Soups

Single Alloantibody: Donor or Patient Plasma . . .	83
Single Alloantibody: Monoclonal Reagent	85
Multiple Alloantibodies Using Monoclonal Reagents	88
Multiple Alloantibodies (Alphabet Soup in a Can): Single Donor or Patient Plasma	91
Multiple Alloantibodies (Homemade Alphabet Soup): Multiple Donors' or Patients' Plasma . . .	93



Alloantibody to High-Prevalence Antigen:	
Chef's Secret	97
Alloantibody to Low-Prevalence Antigen:	
Chef's Secret	104
Warm Autoantibody	111
Cold Autoantibody	113

Side Dishes

Positive Rosette Test to Screen for Fetomaternal Hemorrhage	115
Positive Kleihauer-Betke Test to Quantify Fetomaternal Hemorrhage	117
"Neutralization" of an Antibody	119

DAT Desserts

Sugar Cookies	121
<i>DAT-Positive Results</i>	124
IgG (Using Donor/Patient Antibody)	124
IgG (Anti-D Human Monoclonal-Polyclonal Blend Source Reagent)	127
Anti-D-Coated Red Cells (Anti-D Human Monoclonal-Polyclonal Blend Source Reagent) for Acid Elution	130
IgG (Using Rh Immune Globulin)	135
Complement	137
IgG and Complement	140
Mixed-Field IgG (Using Donor/Patient Antibody)	144
Anti-A and/or Anti-A,B	147

Full-Course Meals

Delayed Transfusion Reaction	151
ABO Hemolytic Disease of the Fetus and Newborn	157
Acute Transfusion Reaction with ABO Incompatibility	160
Prenatal Patient with Anti-D	165



RhD-Negative Postpartum Patient with Positive Rosette Test	168
Prenatal or Postpartum Patient—RhD Negative, Kleihauer-Betke Test Positive	170
Postpartum Patient with Anti-D and Infant with Positive DAT Result Due to Anti-D	173
Warm Autoimmune Hemolytic Anemia with Autoanti-c	179
Warm Autoimmune Hemolytic Anemia with Autoantibody of Broad Specificity	183
Cold Autoimmune Hemolytic Anemia	189
Antibody to Low-Prevalence Antigen: Previous Anti-Jka Not Detected	194

